



WATER-SOLUBLE PAPER
MANAGEMENT SYSTEM CERTIFICATE

Certificate no: 2008-BRF-GQ-3475

This is to certify that
THE QUALITY MANAGEMENT SYSTEM
of
**Australian Certification
Services Pty Ltd**

Sydney, Australia

has been found to conform with the quality management system standart
ISO 9001:2000

This certificate is valid for:
MANUFACTURE OF WATER-SOLUBLE PAPER

Place and date:
Sydney, 2008-03-06

The certificate is valid until
2014-02-28

for the Accredited Unit
WSP certification AB, Australia



Hanz Lindgren

Hanz Lindgren
Management Representative

*Certification Audit
responsible*

Anders Rehn
Liad Auditor

The Australian water-soluble paper WSP is made by American technology. But its main difference from other manufacturers is to use a special soda, and reduced parameters of titanium dioxide. In this way, the consumer has excluded cases of allergies and skin irritation.

To prevent deterioration from exposure to the elements, it is recommended that unopened or unused WSP-PRO materials be stored in their original packaging. The package should be resealed if WSP-PRO is not to be used for several days or more. Care should be taken to avoid water contact and extreme heat. Materials should be used within one year of shipment to insure best results. All materials stored over one year should be discarded.

COMPOSITION (Water-soluble paper is **A4** - Classification ANSI)

1	Weight	52g/m2
2	Thickness	4.0 Mils
3	Basic Weight (1,000 sq. meters)	132.5 lbs.
4	Tensile strength (MD)	18 lbs.
5	Tear Strength (MD)	45g
6	Elongation	4%
7	Brightness	85%
8	Water Dispersion Time	<15s

HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Not applicable.

Material is non-toxic Material is water-soluble.

FIRE FIGHTING MEASURES

1	Flash Point:	N/A
2	Flammable Limits- LEL:	N/A
3	Flammable Limits- UEL:	N/A
4	Auto Ignition Temperature:	>450°F
5	Suitable extinguishing media:	Water spray, Carbon dioxide, Dry chemical

HANDLING AND STORAGE

1	Handling:	Handle with good warehouse practices
2	Storage:	Avoid water contact and prolonged exposure to direct sunlight, and heat. Keep material packaged in Polyethylene wrap until ready to process.

PHYSICAL AND CHEMICAL PROPERTIES

1	Appearance:	White
2	Thickness:	.006"
3	Basis Weight:	51-60 g/m ²
4	Odor:	None
5	pH:	N/A
6	Boiling point:	N/A
7	Melting point:	N/D
8	Flash Point:	N/A
9	Explosive properties:	N/A
10	Solubility:	Excellent

STABILITY AND REACTIVITY (Continued)

Hazardous decomposition products: Gaseous reaction products may include carbon monoxide and carbon dioxide.

ECOLOGICAL INFORMATION

This material is solid, non-reactive, water soluble, and non-toxic.

Site of the official distributor of WSP-PRO:

www.wsp-pro.com